

## Tattoo Caring Lotion with LIFTONIN®-XPRT ECO

|              |   |                |
|--------------|---|----------------|
| ID           | BODY Care / 700292.0003                         | ID-No: 001.001 |
| pH-value     | 5.0-5.5   |                |
| Appearance   | White emulsion                                  |                |
| Product Form | Emulsion O/W                                    |                |
| Claims       | Anti-Ageing; Caring; Color Protection; Soothing |                |

| St | Substance          | INCI Name USA                                      | % w/w | Manufacturer      |
|----|--------------------|--|-------|-------------------|
| 1  | Water demin.       | Water  | 73.60 | several           |
|    | Glycerin 99.5%     | Glycerin, Water                                    | 2.00  | several           |
| 2  | Carbopol Ultrez-10 | Carbomer   | 0.30  | Lubrizol, US      |
|    | Keltrol CG-SFT     | Xanthan Gum  | 0.20  | CP Kelco, US      |
| 3  | Sisterna SP70-C    | Sucrose Stearate                                   | 1.00  | Sisterna B.V., NL |
|    | Myritol 312        | Caprylic/Capric Triglyceride                       | 12.00 | BASF, DE          |
|    | Sisterna SP30-C    | Sucrose Distearate                                 | 2.00  | Sisterna B.V., NL |
|    | Tego Alkanol 1618  | Cetearyl Alcohol                                   | 1.00  | Evonik, DE        |
|    | Amisoft HS-11P(F)  | Sodium Stearoyl Glutamate                          | 0.20  | Ajinomoto, JP     |
| 4  | NaOH solution 10%  | Sodium Hydroxide, Water                            | 0.70  | several           |
| 5  | Dermosoft OMP      | Methylpropanediol, Caprylyl Glycol, Phenylpropanol | 4.00  | Evonik, DE        |
| 6  | LIFTONIN®-XPRT ECO | Water, Mannan, Pentylene Glycol, Citric Acid       | 3.00  | RAHN AG, CH       |

### Production

Mix 1 / Mix 2 / Add 2 to 1 stirring slowly / Make sure that the phase is homogenous and fully hydrated / Heat to 70°C / Mix 3, heat to 70°C while stirring / Add 3 to 1&2, homogenise / Add 4 while stirring, homogenise / Add 5 while stirring / Cool to 40°C while stirring / Add 6 while stirring, homogenise / Cool to 25°C while stirring.

**Stability:** Stable for more than 3 months at 5°, 25°, 40°C

**Microbiological Stability:** ---

### Disclaimer

Utilisation of this document or parts thereof as well as product names for commercial or industrial applications is subject to explicit written approval by RAHN AG. This information is based on our own experience to date and we believe it to be reliable. It is intended only as a guide to use at your discretion and risk. We cannot guarantee favourable results and we assume no liability in connection with its use, or the use of the methods or products described. None of this information is to be taken as a license to operate under, or a recommendation to infringe, patents.

Version: 04/2020