

Ultimate Protection Face Cream SPF 50

ID SUN Care / SX-2003376.013 ID-No: 001.001

pH-value 5.5

Appearance Slightly yellowish emulsion

Product Form Emulsion o/w

Claims UV-Protection, Microplastic-free, Cell Protecting, Water-Resistant, Coral Reef Friendly

| St | Substance | INCI Name USA | % w/w | Manufacturer |
|----|-------------------------------|---|-------|-----------------------|
| 1 | Water demin. | Water | 37.73 | Several |
| | Glycerin 99.5% | Glycerin | 2.50 | Several |
| | Dermosoft Pentiol Eco | Pentylene Glycol | 2.50 | Evonik, DE |
| | Dermosoft Hexiol | Hexylene Glycol | 0.80 | Evonik, DE |
| | Bentone Hydroclay 700 | Hectorite, Xanthan Gum | 0.50 | Elementis, US |
| 2 | Tego Care 450 MB | Polyglyceryl-3 Methylglucose Distearate | 3.00 | Evonik, DE |
| | Amphisol K | Potassium Cetyl Phosphate | 0.40 | DSM, NL |
| | Tegosoft XC | Phenoxyethyl Caprylate | 7.00 | Evonik, DE |
| | Eldew SL-205 | Isopropyl Lauroyl Sarcosinate | 7.00 | Ajinomoto, JP |
| | Parsol DHHB | Diethylamino Hydroxybenzoyl Hexyl Benzoate | 8.00 | DSM, NL |
| | Parsol EHT | Ethylhexyl Triazone | 5.00 | DSM, NL |
| | Parsol Shield | Bis-Ethylhexyloxyphenol Methoxyphenyl Triazine | 2.10 | DSM, NL |
| | Uvasorb HEB | Diethylhexyl Butamido Triazone | 1.00 | 3V Sigma, IT |
| | Cetiol Sensoft MB | Propylheptyl Caprylate | 4.00 | BASF, DE |
| | Dub DIS | Diisopropyl Sebacate | 3.00 | Stearinerie Dubois FR |
| | Tego Filmstar One MB | Polyglyceryl-3 Stearate/Sebacate | 1.50 | Evonik, DE |
| | Tego Alkanol 1618 | Cetearyl Alcohol | 1.20 | Evonik, DE |
| | Cutina HR | Hydrogenated Castor Oil | 0.40 | BASF, DE |
| | Dermofeel Toco 70 non- GMO | Tocopherol, Helianthus Annuus (Sunflower) Seed Oil | 0.15 | Evonik, DE |

Disclaimer

Utilisation of this document or parts thereof as well as product names for commercial or industrial applications is subject to explicit written approval by RAHN AG. This information is based on our own experience to date and we believe it to be reliable. It is intended only as a guide to use at your discretion and risk. We cannot guarantee favourable results and we assume no liability in connection with its use, or the use of the methods or products described. None of this information is to be taken as a license to operate under, or a recommendation to infringe, patents.

Version: 08/2024



Ultimate Protection Face Cream SPF 50

ID SUN Care / SX-2003376.013 ID-No: 001.001

pH-value 5.5

Appearance Slightly yellowish emulsion

Product Form Emulsion o/w

Claims UV-Protection, Microplastic-free, Cell Protecting, Water-Resistant, Coral Reef Friendly

| 3 | RADICARE® - GOLD | Crambe Abyssinica Seed Oil, Beta-Carotene, Xan- thophylls, Tocopherol, Helianthus Annuus (Sun- flower) Seed Oil, Rosmarinus Officinalis (Rose- mary) Leaf Extract | 1.00 | RAHN AG, CH |
|---|--------------------------|--|------|--------------------|
| | Parfum Esse 500 | Fragrance | 0.25 | Huber the Nose, CH |
| 4 | Valvance Touch 210 | Silica | 1.00 | DSM, NL |
| 5 | Parsol MAX | Methylene Bis-Benzotriazolyl Tetramethyl- butylphenol, Water, Decyl Glucoside, Propylene Glycol, Xanthan Gum | 7.00 | DSM, NL |
| 6 | Alcohol denat. | Alcohol denat. | 2.50 | Several |
| 7 | Citric Acid solution 10% | Water, Citric Acid | 0.47 | Several |

Production

Pre-mix Bentone Hydroclay 700 in Pentylene Glycol, Hexylene Glycol and Glycerin; then mix it into the water by continuous stirring. Heat unified phase 1 to 75°C. Weight all components of phase 2 and heat to 90°C by constant stirring. The oily solution needs to be lump-free and completely solved. Add phase 2 to phase 1 by intense homogenisation. Cool down to 40°C and add phases 3, 4 and 5 separately – then homogenise again. Add phase 6 and 7 by good stirring and cool down to room temperature. A short end-homogenisation is recommended as a final step.

Stability: Stable for more than 3 months at 5°, 25°, 40°C

Microbiological Stability: ---

Disclaimer

Utilisation of this document or parts thereof as well as product names for commercial or industrial applications is subject to explicit written approval by RAHN AG. This information is based on our own experience to date and we believe it to be reliable. It is intended only as a guide to use at your discretion and risk. We cannot guarantee favourable results and we assume no liability in connection with its use, or the use of the methods or products described. None of this information is to be taken as a license to operate under, or a recommendation to infringe, patents.

Version: 08/2024