# **SAFETY DATA SHEET**



Revision date 10-Apr-2024 Revision Number 1

# 1. Identification

**Product identifier** 

Product Name GENOMER\* 3365

Other means of identification

Synonyms Modified polyetherpolyol acrylate

Application of the substance/ the mixture

Resin for radically curable inks, coatings, adhesives, fillers, etc.

Other information For industrial use only

#### Details of the supplier of the safety data sheet

**Supplier Address** 

RAHN USA Corp. 1005 North Commons Drive Aurora, IL 60504

Phone Number: +1 630 851 4220

For further information, please contact

Contact Point Regulatory Affairs Department E-mail address SDSENC@rahn-group.com

Emergency telephone number

Emergency Telephone +1 800 535 5053 (Infotrak, 24h)

# 2. Hazard(s) identification

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

Serious eye damage/eye irritation	Category 2A - (H319)
Skin sensitization	Category 1 - (H317)
Chronic aquatic toxicity	Category 3 - (H412)

#### Hazards not otherwise classified (HNOC)

Not applicable

## Label elements

Contains Propylidynetrimethanol, ethoxylated, esters with acrylic acid

#### Signal word

Warning

#### **Hazard statements**

Causes serious eye irritation. May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.





#### **Precautionary statements**

Avoid breathing dust/fume/gas/mist/vapors/spray.

If eye irritation persists: Get medical advice/attention.

If skin irritation or rash occurs: Get medical advice/attention.

Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

Wear protective gloves/protective clothing/eye protection/face protection.

Take off contaminated clothing and wash it before reuse.

#### Other information

May be harmful if swallowed.

## Unknown acute toxicity

0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

# 3. Composition/information on ingredients

#### **Mixture**

Chemical name	CAS No	Weight-%	GHS Classification
Propylidynetrimethanol, ethoxylated, esters with acrylic acid	28961-43-5	50 - 70	Skin Sens. 1 (H317) Eye Irrit. 2 (H319) Aguatic Chronic 3 (H412)

# 4. First-aid measures

#### **Description of first aid measures**

**General advice** Show this safety data sheet to the doctor in attendance.

**Inhalation** Remove to fresh air.

**Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and

persists.

Skin contact Wash with soap and water. May cause an allergic skin reaction. In the case of skin

irritation or allergic reactions see a physician. Avoid contact with UV and sunlight.

Ingestion Clean mouth with water and drink afterwards plenty of water. Never give anything by

mouth to an unconscious person. Do NOT induce vomiting. Call a physician.

Self-protection of the first aider Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section

8).

#### Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives. May cause redness and tearing of the eyes. Burning sensation.

Indication of any immediate medical attention and special treatment needed

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

\_\_\_\_\_

# 5. Fire-fighting measures

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Small FireDry chemical, CO2 or water spray.Large FireAlcohol resistant foam. Water spray.

Unsuitable extinguishing media Full water jet.

Specific hazards arising from the

chemical

Product is or contains a sensitizer. May cause sensitization by skin contact.

**Explosion data** 

Sensitivity to mechanical

impact

None.

None.

Sensitivity to static discharge

Special protective equipment for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

Other information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

**Reference to other sections** See section 7 for more information. See section 8 for more information. See section 13

for more information.

# 7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact

with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product.

Take off contaminated clothing and wash before reuse.

**General hygiene considerations** Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Conditions Do not store at temperatures above 40 °C (104 °F). Keep containers tightly closed in a

dry, cool and well-ventilated place. Keep out of the reach of children. Store locked up.

Keep away from heat. Protect from sunlight. Store in a well-ventilated place.

#### 8. Exposure controls/personal protection

Control parameters

Exposure Limits This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

**Appropriate engineering controls** 

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Hand protection Wear suitable gloves. Nitrile rubber. Gloves should be replaced regularly and if there is

any sign of damage to the glove material.

**Skin and body protection**Wear suitable protective clothing.

Respiratory protection 
No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection.

Do not eat, drink or smoke when using this product.

# 9. Physical and chemical properties

Information on basic physical and chemical properties

**Appearance** 

Physical stateLiquidColorcolorlessOdorAmine-like

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH No data available

Melting point / freezing point No information available

Boiling point / boiling range No data available

Flash point > 100 °C / 212 °F

Evaporation rate No data available

Flammability (solid, gas) No data available

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressureNo data availableVapor densityNo data availableRelative densityNo information availableWater solubilityNo information availableSolubility in other solventsNo data availablePartition coefficientNo data availableAutoignition temperatureNo information available

Decomposition temperatureNo data availableKinematic viscosityNo data available

**Dynamic viscosity** 100 - 200 mPas @ 25°C

Surface tension No data available

Other information

Explosive properties

Oxidizing properties

No data available
VOC Content (%)

Liquid Density

Bulk density

No data available
No data available

## 10. Stability and reactivity

GENOMER\* 3365 Revision date 10-Apr-2024 Revision Number 1

\_\_\_\_\_

**Reactivity** No information available.

**Stability** Stable under normal conditions.

Possibility of hazardous reactions No known hazardous reactions.

Conditions to avoid Keep away from sources of ignition - No smoking. Polymerization occurs when exposed

to white light, ultraviolet light or heat. UV-radiation/sunlight.

prevent exothermic polymerization.

Hazardous decomposition

products

None known based on information supplied.

# 11. Toxicological information

#### Information on likely routes of exposure

#### **Product Information**

**Inhalation** May cause irritation of respiratory tract.

Eye contact Causes serious eye irritation. May cause redness, itching, and pain.

**Skin contact** May cause sensitization by skin contact. Repeated or prolonged skin contact may cause

allergic reactions with susceptible persons. May cause irritation. Prolonged contact may

cause redness and irritation.

**Ingestion** Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May be

harmful if swallowed.

#### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Itching. Rashes. Hives. May cause redness and tearing of the eyes.

**Acute toxicity** 

**Numerical measures of toxicity** 

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 3,089.60 mg/kg

 ATEmix (dermal)
 20,380.80 mg/kg

Unknown acute toxicity 0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

Component Information		
Propylidynetrimethanol, ethoxylated, esters with acrylic acid (28961-43-5)		
Method	OECD Test No. 401: Acute Oral Toxicity	
Species	Rat	
Exposure route	gavage	
Results	LD50 > 2000 mg/kg bw	

Method	Not Specified
Species	Rabbit
Exposure route	Dermal
Results	LD50 > 13'200 mg/kg bw

**Component Information** 

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Propylidynetrimethanol,	> 2000 mg/kg bw (Rat)	> 13'200 mg/kg bw (Rabbit)	-

ethoxylated, esters with acrylic		
acid		
28961-43-5		

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation**Based on available data, the classification criteria are not met.

Component Information		
Propylidynetrimethanol, ethoxylated, esters with acrylic acid (28961-43-5)		
Method	OECD Test No. 404: Acute Dermal Irritation/Corrosion	
Species	Rabbit	
Exposure route	Dermal	
Effective dose	0.5 mL	
Exposure time	4 hours	
Results	Non-irritant Non-irritant	

Serious eye damage/eye irritation Causes serious eye irritation.

Component Information		
Propylidynetrimethanol, ethoxylated, esters with acrylic acid (28961-43-5)		
Method	OECD Test No. 405: Acute Eye Irritation/Corrosion	
Species	Rabbit	
Exposure route	Eye	
Effective dose	0.1 mL	
Results	Irritant	

Respiratory or skin sensitization May cause an allergic skin reaction.

Component Information		
Propylidynetrimethanol, ethoxylated, esters with acrylic acid (28961-43-5)		
Method	OECD Test No. 406: Skin Sensitization	
Species	Guinea pig	
Exposure route	Dermal	
Results	Sensitizing	

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Component Information		
Propylidynetrimethanol, ethoxylated, esters with acrylic acid (28961-43-5)		
Method	OECD Test No. 474: Mammalian Erythrocyte Micronucleus Test	
Species	in vivo	
Results	Not mutagenic	
	· •	

Method	OECD Test No. 476: In vitro Mammalian Cell Gene Mutation Test
Species	in vitro
Results	inconclusive

Method	OECD Test No. 471: Bacterial Reverse Mutation Test
Species	in vitro
Results	Not mutagenic

# **Carcinogenicity** Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

Component Information		
Propylidynetrimethanol, ethoxylated, esters with acrylic acid (28961-43-5)		
Method	Read Across from result of OECD 414 study with CAS 42978-66-5	
Species	Rat	
Exposure Route	Oral / Dermal	
Exposure time	max. 52 days	
Results	NOAEL = 750 mg/kg bw/day (Fertility)	

\_\_\_\_\_

	NOAEL = 1000 mg/kg bw/day (Teratogenicity)	
Method	Read Across from result of OECD 443 study with CAS 42978-66-5	
Species	Rat	
Exposure Route	Oral gavage	
Exposure time	max. 90 days	
Results	NOAEL = > 100 mg/kg bw/day	

**STOT - single exposure** Based on available data, the classification criteria are not met.

**STOT - repeated exposure**Based on available data, the classification criteria are not met.

C.C. Topoutou expecuto	Bacca on available data, the blacementation entents are not met.	
Component Information	ent Information	
Propylidynetrimethanol, ethoxylated,	red, esters with acrylic acid (28961-43-5)	
Method	OECD Test No. 408: Repeated Dose 90-Day Oral Toxicity Study in Rodents	
Species	Rat	
Exposure route	Oral gavage	
Exposure time	90 days	
Results	NOAEL = 150 mg/kg bw/day (local)	
	NOAEL = 375 mg/kg bw/day (systemic)	

Aspiration hazard No information available.

Other adverse effects No information available.

Interactive effects No information available.

# 12. Ecological information

#### **Ecotoxicity**

Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Propylidynetrimethanol, ethoxylated, esters with acrylic acid 28961-43-5	EC50(72h) = 2.2 mg/L (OECD 201)	LC50(96h) = 1.95mg/L (OECD 203)	EC50(3h) > 1000 mg/L	EC50(48h) = 70.7 mg/L (OECD 202)

Persistence and degradability No information available.

Component Information			
Propylidynetrimethanol, ethoxylated, esters with acrylic acid (28961-43-5)			
Method	Exposure time	Value	Results
OECD Test No. 301B: Ready	28 days	Biodegradation : 60% (after	Readily biodegradable
Biodegradability: CO2 Evolution Te	st	28 days)	
(TG 301 B)			

#### Bioaccumulation

**Component Information** 

Chemical name		Partition coefficient
	Propylidynetrimethanol, ethoxylated, esters with acrylic acid	Log Pow = 2.89
	28961-43-5	

Other adverse effects No information available.

# 13. Disposal considerations

# Waste treatment methods

Waste from residues/unused Can be landfilled or incinerated, when in compliance with local regulations.

GENOMER\* 3365 Revision date 10-Apr-2024 Revision Number 1

\_\_\_\_\_

products

**Contaminated packaging** Packaging may be reused or recycled after cleaning.

Other information Do not allow product to reach sewage system

# 14. Transport information

**DOT** Not regulated

# 15. Regulatory information

**International Inventories** 

TSCA All components of this product are included on the TSCA Chemical Inventory or are not

required to be listed on the TSCA Chemical Inventory.

DSL/NDSL All components of this product are included on the Domestic Substances List (DSL) or

are not required to be listed on the DSL.

**REACH** Registered, non EU customers please contact RAHN before importing the product into

the EU.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

REACH - Registration, Evaluation, Authorization and Restriction of Chemicals

#### **Chemical Weapons Convention (CWC)**

This product does not contain any chemicals regulated under the Chemical Weapons Convention

#### **US Federal Regulations**

### TSCA Section 12(b) Export Notification (40CFR707, Subpart D)

This product does not contain reportable amounts of any TSCA 12(b) listed chemicals.

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

#### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

# **US State Regulations**

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals:

Chemical name	California Proposition 65
2,2-Bis(acryloyloxymethyl)butyl acrylate	Carcinogen
15625-89-5 (<0.1 %)	

## 16. Other information

NFPA Health hazards 2 Flammability 1 Instability 1 Special hazards - HMIS Health hazards 2 Flammability 1 Physical hazards 1 Personal protection -

Prepared By Regulatory Affairs ENC.

.\_\_\_\_\_

Revision date 10-Apr-2024

**Revision Note** No information available.

**Disclaimer** 

The data are based on the current state of our knowledge, and are intended to describe the product with regard to the requirements of safety. The data should not be taken to imply any guarantee of a particular or general specification. It is the responsibility of the user of the product to ensure to his satisfaction that the product is suitable for the intended purpose and method to use. We do not accept responsibility for any harm caused by the use of this information. Furthermore nothing contained herein shall be construed as a recommendation to use any product in conflict with existing patents covering any material or its use. In all cases, our general conditions of sale apply.

**End of Safety Data Sheet**